Ref # ·	, Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and ((Internet adj (application\$1 or service\$1)).ab. or (Internet adj (application\$1 or service\$1).ti.) and (709/;713/;380/;714/;717/).ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 20:36
S3	788	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (input adj1 output with operating adj1 system\$1)and security	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 20:38
S4	346	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (input adj1 output with operating adj1 system\$1 with (application\$1 or program\$1))and security	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 20:39
S5	8	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (input adj1 output with operating adj1 system\$1 with (application\$1 or program\$1))with security	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 20:40
S7	2	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (input adj1 output with java with security)	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 20:42
S8	84	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (input adj1 output with java)	USPAT	OR	OFF	2004/07/22 20:43
S9	1	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (input adj1 output with java with secur\$3)	USPAT	OR	OFF	2004/07/22 20:43
S11	. 5	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (((input adj1 output) or ("I/O")) with java with secur\$3)	USPAT	OR	OFF	2004/07/22 20:48
S12	0	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (((input adj1 output) or ("I/O")) same provide\$1 adj3 java adj3 secur\$3)	USPAT	OR	OFF	2004/07/22 20:49

_						
S13	. 3	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (((input adj1 output) or ("I/O")) same (java adj3 secur\$3))	USPAT	OR	OFF	2004/07/22 20:49
S14	20	((@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (713/152, 154,201).ccls. and firewall) and cluster	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/13 15:55
S15	467	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (713/152, 154,201).ccls. and firewall	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 11:48
S16	1735	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (713/152, 154,201).ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 12:40
S17	20963	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (709/;713/152,154,201).ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/15 07:26
S18	93	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (switch near3 firewall) not (switch near2 "or")	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 05:21
S19	23	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (switch near1 firewall)	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 05:21
S20	55	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (switch near2 firewall)	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 05:19
S21	93	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (switch near3 firewall)	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 05:21
S22	61	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (internal adj firewall)	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 05:19
S23	0	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (713/152, 154,201).ccls. and (web adj personal adj firewall)	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 10:14
S24	0	(713/152,154,201).ccls. and (web adj personal adj firewall)	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 10:14

S25	5	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (713/152, 154,201).ccls. and (web with personal with firewall)	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 10:15
S26	8	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (713/152, 154,201).ccls. and (web with resid\$3 with firewall)	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 10:17
S27	1	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (713/152, 154,201).ccls. and (chinese adj wall)	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 10:22
S28	10	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (chinese adj wall)	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 11:01
S29	2	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (chinese adj wall and web)	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 11:03
S30	0	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (firewall with compet\$3 adj (application\$1 or program\$1 or service\$1 or module\$1))	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 11:04
S31	0	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (firewall with seperate\$3 adj (application\$1 or program\$1 or service\$1 or module\$1))	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 11:04
S32	0	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (firewall with seperate\$3 with (application\$1 or program\$1 or service\$1 or module\$1))	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 11:05
533	64	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (firewall with (different or compet\$3 or antagonistic or rival or opposing or challeng\$3 or contend\$3 or adversary or rogue) with (application\$1 or program\$1 or service\$1 or module\$1))	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 11:07

S34	110	(@ad<"20001201" or @rlad<"20001201" or	US-PGPUB; USPAT;	OR	OFF.	2004/07/14 11:52
		@prad<"20001201") and (713/152, 154,201).ccls. and firewall and ((different or compet\$3 or antagonistic or rival or opposing or challeng\$3 or contend\$3 or adversary or rogue) near2 (application\$1 or program\$1 or service\$1 or module\$1))	EPO			
S35	15	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (713/152, 154,201).ccls. and firewall and ((compet\$3 or antagonistic or rival or opposing or challeng\$3 or contend\$3 or adversary or rogue) near2 (application\$1 or program\$1 or service\$1 or module\$1))	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 12:13
S36	1	"5802391".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 12:14
S37	0	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (web with server with rogue with (app\$6 or program\$1 or service\$1 or module\$1))	US-PGPUB; USPAT; EPO	OR ·	OFF	2004/07/14 12:21
S38	0	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (web with server with rogue)	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 12:21
S39	13	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (server with rogue with (app\$6 or program\$1 or service\$1 or module\$1))	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 15:18
S40	2	("6377994" "6356941").pn.	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/14 16:10
S41	10	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (screening with LAN)	USPAT	OR	OFF	2004/07/15 07:27
S42	267	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (screening with (application\$1 or service\$1) and LAN)	USPAT	OR	OFF	2004/07/15 07:27

				<u>,</u>		
S43	0	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (screening with (application\$1 or service\$1) with pocket and LAN)	USPAT	OR	OFF	2004/07/15 07:28
S44	6	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (screening with (application\$1 or service\$1) with router and LAN)	USPAT	OR	OFF	2004/07/15 07:31
S45	453	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (firewall with (application\$1 or service\$1 or port\$1)and LAN)	USPAT	OR .	OFF	2004/07/15 07:32
S46	77	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (firewall with (application\$1 or service\$1 or port\$1)with LAN)	USPAT	OR	OFF	2004/07/15 07:54
S47	5	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (firewall with (SAP or service adj access adj point))	USPAT	OR	OFF	2004/07/15 07:43
S48	139	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (application near2 firewall)	USPAT	OR	OFF	2004/07/15 07:54
S49	77	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (application near firewall\$1)	USPAT	OR	OFF	2004/07/15 07:54
\$50	68	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (application near firewall)	USPAT	OR	OFF	2004/07/15 08:09
S51	21	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (address with port near5 firewall)	USPAT	OR ·	OFF	2004/07/15 08:11
S52	0	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (concern with address with security with firewall)	USPAT	OR	OFF	2004/07/15 08:11
S53	2	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (concern with security with firewall)	USPAT	OR	OFF	2004/07/15 08:14

					,	
S54	2	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (personal adj firewall)	USPAT	OR	OFF	2004/07/15 08:16
S55	27	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (software adj firewall)	USPAT	OR	OFF	2004/07/15 08:16
S56	. 2	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (personal adj firewall\$1)	USPAT	OR	OFF	2004/07/15 08:16
S57	30	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (software adj firewall\$1)	USPAT	OR	OFF	2004/07/15 08:22
S58	14	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (filter\$3 adj logic with port)	USPAT	ÓR	OFF	2004/07/15 11:38
S59	23	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (ISP with service adj level)	USPAT	OR	OFF	2004/07/15 11:40
S60	0	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (ISP with service adj level near7 (finan\$4 or money or fund\$1 or income or return\$1))	USPAT	OR	OFF	2004/07/15 11:41
S61	0	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (ISP with service adj level same (finan\$4 or money or fund\$1 or income or return\$1))	USPAT	OR	OFF	2004/07/15 11:41
S62	0	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (ISP with service adj level same (finan\$4 or money or fund\$1 or income or return\$1 or profit))	USPAT	OR	OFF	2004/07/15 11:41
S63	15	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (ISP with service adj level and (finan\$4 or money or fund\$1 or income or return\$1 or profit))	USPAT	OR	OFF	2004/07/15 11:43

06:		(0.1.1122222212				2004/27/15
S64	0	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (service adj level with (finan\$4 or money or fund\$1 or income or profit) with internet)	USPAT	OR	OFF	2004/07/15 11:43
S65	4	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (service adj level with (finan\$4 or money or fund\$1 or income or profit) and internet)	USPAT	OR	OFF	2004/07/15 11:43
S66	11	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and ("security level").ti.	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 13:53
S67	54	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (server near5 "security level")	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 13:52
S68	132	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and ((Internet) with (server\$1 or node\$1 or computer\$1) with (consolidat\$3 or group\$3 or match\$3 or combin\$3 or centraliz\$3) with (application\$1 or program\$1)) and ("709"/.ccls. or "713"/.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 13:37
S69	0	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (((Internet adj service adj provider)or (Internet adj provider) or (Internet adj access adj provider)) with (consolidat\$3 or group\$3 or match\$3 or combin\$3 or centraliz\$3) with (application\$1 or program\$1)) and ("709"/.ccls. or "713"/.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 13:27
S70	49	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and (((Internet adj service adj provider)or (Internet adj provider) or (Internet adj access adj provider)) with (price or fee\$1 or costs\$1)) and ("709"/.ccls. or "713"/.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 13:25

S71	0	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and ((node\$1 or server\$1 or computer\$1) with(critic\$5) with (based or depend\$3) with (application\$1 or program\$1)with (payment or	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 12:59
S72	17914	fee\$1)) (@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and ((multiple or two) near3 level (agreement or service)) and ("709"/.ccls. or "713"/.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 13:15
S73	21	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and ((node\$1 or server\$1 or computer\$1) with(Reliabl\$3 or secur\$3 or trust\$9) with (more or increase) with (price or cost\$1 or expens\$2)) and "709"/.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 13:02
S74	148	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and ((node\$1 or server\$1 or computer\$1) with(Reliabl\$3 or secur\$3 or trust\$9) with (more or increase) with (price or cost\$1 or expens\$2))	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 13:01
S75	141	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and ((node\$1 or server\$1 or computer\$1) with(critic\$5) with (based or depend\$3)with (application\$1 or program\$1))	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 12:55
S76	34	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and ((node\$1 or server\$1 or computer\$1) with(Reliabl\$3 or secur\$3 or trust\$9) with (more or increase) with (price or cost\$1 or expens\$2)) and ("709"/.ccls. or "713"/.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 13:06
S77	5184	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and ((program\$1 or application\$1) adj level\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 12:41

				<u> </u>		
S78	48	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and ((program\$1 or application\$1) adj level\$1 with (critic\$5 or trust\$9))	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 12:52
S79	1853	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and ((node\$1 or server\$1 or computer\$1) with(critic\$5 or trust\$9) with (application\$1 or program\$1))	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 12:53
S80	1411	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and ((node\$1 or server\$1 or computer\$1) with(critic\$5) with (application\$1 or program\$1))	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 12:53
S81	10	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and ((node\$1 or server\$1 or computer\$1) with(critic\$5) with (based or depend\$3)with (application\$1 or program\$1)with (operation or production))	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 12:58
S82	46	(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201") and ((choos\$3 or select\$3) with (server\$1 or node\$1 or computer\$1) with (application\$1 or service or program\$1) with (price or fee\$1 or costs\$1)) and ("709"/.ccls. or "713"/.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 14:33
S83	1	"6006264".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 14:37
S84	1	"5819091".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2004/07/22 14:37